CLARK HILL Jan 18 2006 12:03

500 Woodward Avenue, Suite 3500 Detroit, Michigan 48226-3435

> Telephone (313) 965-8300 Fax (313) 965-8252

Fax Only

Addressee List May Be Continued on Next Page

Today's Date:

January 17, 2006

Telephone# Fax # Company (703) 305 4239 Recipient (703) 308=5077 U.S. Patent & Trademark (571) A72-6500 Office of Finance-Refund Branch

From:

Robin W. Asher

/Janet H. Fournier

No. of Pages Including Cover Sheet:

Direct Tel. Line:

313-965-8665 /313-965-8571

Message:

RE:

Deposit Account Number 50-1759

Application No. 10/539,741 Filing Date: 06/20/2005 Clark Hill ref: 25266-101943

Attached is a copy of the original filing transmittal of 06/20/2005 together with a preliminary amendment filed 01/17/2006 which eliminates the multiple dependent claims. We ask that you immediately refund \$360 to our Deposit Account.

Please expedite this request. If you have any questions, please do not hesitate to call me directly at (313) 965-8665. Thank you for your attention to this important matter.

Robin W. Asher, Reg. No. 41,590 Clark Hill PLC 500 Woodward Avenue, Ste. 3500 Detroit, MI 48226-3435

FOR CLARK HILL USE ONLY: Please Return this Document to:

Janet H. Fournier

The Information contained in this facelmile message is privileged or confidential information intended only for the user of the individual or entity named above. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended neighbor, you are hereby notified that any dissemination, distribution or copying of this communication is neither allowed nor intended. If you have received this communication in error, please immediately notify us by telephone at the above number, and return the original message to us at the above address via the 11.9. Postal Service or Federal Express at our cost. Thank you us at the above address via the U.S. Postal Service or Federal Express, at our cost. Thank you.

If there are any problems with this fax, please call Office Services at (313) 965-8517

US PATENT & TOUDENWARK

Please acknowledge receipt of the following: exp mail cert; trans: ccard form PTO 2038; IDS; trans; form 1449; pat app 35 pp; 18 slicets dwgs figs 1-14; search rept

USSN: PCT/CA2003/001999

10,1539741

Filing Date: Title: Dental Handpiece Inventor: Turner, Atty: Robin W. Asher Docket no. 25266-101943

Mailed via Express Mail

6/20/05

Please acknowledge receipt of the following: exp mail cert;trans: ccard form PTO 2038;IDS; trans; form 1449;pat app 35 pp; 18 sheets dwgs figs 1-14; search rept

USSN: PCT/CA2003/001999 Filing Date: Tule:Dental Handplece Inventor: Turner. Atty: Robin W. Asher Docket no. 25266-101943

Mailed via Express Mail

6/20/05

RECEIVE DE DE STATE

ARK Clark Hill PLC

Intellectual Properties Department 500 Woodward Avenue, Suite 3500 Detroit, MI 48226-3435

հեմիսհուհոննիումիսեսիուներերերերեր

-962725684US

	CLA	RK HILL	Fax: 313-965-8570	Jan 18 2006 12:04 P.03								
	1		OFFICE U.S. DEPARTMENT OF COMMERCE	ATTOR IS DOCKET NUMBER								
FORM P	10-1390 -2004)	TO CHARGE THE PART AND THE										
	TRA	INSMITTAL LETTER	TO THE UNITED STATES	U.S. APPLICATION NO. (If known, see 37 GFR 1.5)								
١.	- D	ESIGNATED/ELECT	U.S. APPLICATION NO. (I) NORMI, and 0) STORES									
٦ (CERNING A SUBMIS	71									
		ONAL APPLICATION NO.	INTERNATIONAL FILING DATE	I PRIORITY DATE CLAIMED .								
MIE	HIAND PG	T/CA2003/001999	20 Dez 2002									
mu	TITLE OF INVENTION											
DEM.	tal i	KANDPIECE										
		(S) FOR DOVECIUS		•								
Terre	er											
<u> </u>		south automity to the United Ric	tes Designated/Elected Office (DO/EO/L	JS) the following isome creati grawollof ent (SL								
Appro		REMAIN CONTINUES TO A 10 CHIEFES OF	and a substantial product 36	USC 371								
1.	8	This is a FIRST submission of	items concerning a submission under 35 BUENT submission of items concerning a	a submission under 35 U.S.C. 371.								
2.	0	This is a second or supper	coin national examination procedures (3)	5 U.S.C. 371(f)). The aubmission must include items (5), (0).								
3.	O	(8) and (24) Indicated below.	Contraction of the contraction o	·								
4.		The US has been elected (Arti-		•								
5.	Ø	A copy of the International App	lication as filed (35 U.S.C. 371 (c)(2))	• • • • •								
			quired only if not communicated by the	intermational Bureau).								
		b. 🖾 has been communica	ited by the International Bureau.									
		c. Lis not required, as the	application was filed in the United State	WAILE C 324(MA)/								
6.			n of the International Application at filed	(30 0.0.0. 37 1(0)(2)).								
1		a. I is attached hereto.		•								
1_	_	p has been bleviously	submitted under 35 U.S.C. 164(d)(4). The international Application under PCT /	inde 18 G5 U.S.C. 371 (c)(3))								
7.	8	an entire to the claims or	required only if not communicated by the	inhimational Bureau).								
			cated by the International Bureau.									
		E have not been made	: however, the time limit for making such	amendments has NOT expired.								
1		d. 🗀 have not been made	and will not be made.	•								
8.		An English language translation	on of the amendments to the claims unde	r PCT Arlicle 18 (35 U.S.C. 371(c)(3)).								
9.		An eath or declaration of the is	rventor(s) (35 U.S.C. 371 (c)(4)).	•								
10.		An English language translation of the annexes to the International Proliminary Examination Report under PCT Article 38 (35 U.S.C. 371 (o)(5)).										
111.			"/* niminary Examination Report (PCT/IPEA	(409):								
112	8	A copy of the International Se		à								
1	_	, •	nent(s) or information included:	1								
13.			stement under 37 CFR 1.97 and 1.98.	•								
14.		An assignment document for	recording. A separate cover sheet in con	nplishee With 37 CFR 9.28 and 3.91 is included.								
15.	_	A FIRST preliminary emendin		1								
15.		A SECOND or SUBSEQUEN		•								
17.	_	A substitute specification.		<u> </u>								
18.		A power of attorney and/or ch		1								
19.		A computer-readable form of	the sequence listing in accordance with f	PCT Faute 18ser.2 and 37 CFR 1.821 - 1.825.								
20.	_	A second copy of the publish:	ed International Application under 35 U.S	.C. 154(d)(4).								
21.		A second copy of the English	language translation of the international	Application under 35 U.S.C. 154(d)(4).								
22	_	Express Mail Label No.	EL 962735684 US	i								
23.	S	Other items or information:										
1		reinra postekró		•								
1												
- 1				8								

Page 1 of 2

4.	A	E as alterna	U are reculred to respond to	S. P	appron Trademan Trademant to coloc	k Office; U.S. DEPARTME! I unless it displays a velid C	MB control number.				
U.S. APPLICATION N	O Othorn see	CATION NO.	ATTORNEY'S DOCKET NUMBER ATTORNEY'S DOCKET NUMBER								
U.S. APPLICATION		PCT/CA2003/001999			25266 -101943						
24. The following to	on to submitte	d'		Tellessate			Office use				
24. The ignorming is	al fee				\$300.00	\$ 5300.00					
						\$ 5200.00					
(S) b) Examination		9500.00	\$ \$500.00								
		\$ 21,000,00									
TOTAL OF ABOVE CALCULATIONS = \$1000.00 \$ \$1,000.00											
Additional last for specification and drawings filed in paper over 100 sheets (excluding acquence listing of computer program listing filed in an electronic medium). The fee is \$250 for each additional 50 sheets of paper or fraction thereof.											
	Chiam Encode Number of		of each additional 50 or ereof (round up to a whole		RATE						
53 - 100 =	-47 /60 =				x \$250.00	5 20.00					
Surcharge of \$130.	00 for furnishing	the oath or	declaration later than n	nont	s from the	s					
earliest dalmed pri	NUMBER FILED		NUMBER EXTRA R		RATE						
Total glaims	34 - 20 =		14 x		\$50.00	\$ \$700.00					
Independent claims		- 3=	8	×	\$200.00	\$ \$1,600.00					
MULTIPLE DEPEN		(If applicable	e) 🖾	+	\$360.00	\$ \$360.00					
		TO	TAL OF ABOVE C			\$ \$3,669.00					
		tatus. 500 :	17 CFR 1.27. The fees	ndic	ated above one	\$ 50.00					
reduced by 1/2	2.			:	SUBTOTAL =	\$ \$3,660.00					
Processing fee of	\$130.00 for fumi	ching the El	nglish translation later t	14T) 3	O months from	\$ 50.00					
the earliest claimer	d priority date (IONAL FEE	\$ \$3,660.00	 							
Ree for recording to	he englosed ass	ionment (37	CER 1.21(b)). The as	elann	nent ritual be	5 \$0.00	,				
accompanied by a	n appropriate co	wer sheet (3	7 CFR 3.28, 3.31). \$40	per	property +		ļ				
					ENCLOSED =						
			Amount to be refunded:			i	\$				
1			Amo	unt	to be charged	<u>:</u>	\$				
a A check in	n the amount of	\$	to cover the	abov	e leca pa enciose	d.					
b. Please ch	arge my Depos	t Account N	ko	in th	amount of	to con	er the above fees.				
	te copy of this si		sharoe any edditional fe	es w	hich may be requ	ited, or credit any over	payment				
to Deposi	t Account No.	50-179	. A duplicate co	py o	i this <u>i</u> thest is end	1090d.					
d. S Fees are to be charged to a credit card. WARNING: information on this form may become public. Credit card information should not be included on this form. Provide credit card information and sylhoctzation on PTO-2038.											
NOTE: Where an appropriate time limit under 27 CFR 1.495 has not been met, a petition to revise (37 CFR 1.137(s) or (b)) must be filed and granted to restore the international Application to pending status.											
SEND ALL CORRESPONDENCE TO:											
Robin W. Asher,				SIGNATURE .							
Clark Hill PLC		. Aster									
500 Woodward / Detreit, M1 482		3 U U		NAME							
(313) 965-8300	-			41,590							
		ATION NUMBER									
Page 2 of 2 PUTUS UNION											

Fax:313-965-8570

Jan 18 2006 12:04

P. 05

Appl'a No: 10/539,741 Preliminary Amd't dated January 16, 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Art Unit;

N/A

Confirmation No.:

Examiner:

N/A

Applicant:

Turner, Derek

Serial No:

10/539,741

Filing Date:

June 20, 2005

Title:

Dental Handpiece

PRELIMINARY AMENDMENT

Mail Stop Non-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Please amend the above-captioned patent application as set forth below.

Amendments to the Claims are reflected in the listing of claims, which begins on page 2

of this paper.

Remarks begin on page 11 of this paper.

Fax: 313-965-8570

Jan 18 2006 12:04

P. 06

Àppl'n No: 10/539,741

Preliminary Amd't dated January 16, 2006

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) A medical or dental turbine handpiece including a handle portion for gripping by a user, a drive head connected with the handle portion and forming a turbine housing, a turbine in the turbine housing for rotation about an axis of rotation and having an axial tool bore for receiving a shaft of a rotatable tool insertable into the handpiece, and a pair of axially spaced apart bearings for rotatably supporting the turbine in the turbine housing; characterized in that the handpiece further includes a torque transfer arrangement for transferring torque generated by the turbine to a tool with a shaft portion of non-circular cross-section, the torque transfer arrangement including a locking socket for receiving the shaft portion and having a complementary cross-section for locking the shaft portion against rotation in the socket while permitting axial insertion of the shaft portion into the locking socket, the locking socket being connected to the turbine for rotation therewith.

2. (Original) The handpiece as defined in claim 1, characterized in that the locking socket is integrated into the turbine and is an enlarged portion of the tool bore for receiving a tool with a

Fax: 313-965-8570

Jan 18 2006 12:05

P. 07

Appl'n No: 10/539,741

Preliminary Amd't dated January 16, 2006

shaft portion in the form of a radially enlarged locking boss having a diameter larger than a diameter of the shaft of the tool.

- 3. (Original) The handpiece as defined in claim 1, characterized in that the locking socket is constructed for receiving a shaft portion of triangular cross-section, the locking socket having cross-section complementary to that of the shaft portion.
- 4. (Original) The handpiece of claim 1, characterized in that the locking socket is a hollow spindle received in the tool bore and fastened therein, the spindle having a cylindrical bore for receiving the shaft portion of the tool and having a protrusion extending radially inwardly into the cylindrical bore for locking the shaft portion in the spindle against rotation, while permitting axial insertion of shaft portion into the locking socket.
- 5. (Currently Amended) The handpiece of claim 4, wherein a surface[[s]] of the protrusion which engages the shaft portion during insertion of the tool into the spindle has a rounded shape for automatically directing the shaft portion past the protrusion to achieve a self-alignment of the shaft portion in the locking socket during insertion of the tool.
- 6. (Currently Amended) The handpiece of claim 4, characterized in that the handpiece further includes a burr retaining arrangement for releasably retaining the tool in the tool bore against axial movement after complete insertion of the tool into the bore, the burr retaining arrangement including a pair of complementary, interengaging elements respectively incorporated into the spindle and the tool shaft.

Fax: 313-965-8570

Jan 18 2006 12:05

P. 08

Appl'n No: 10/539,741

Preliminary Amd't dated January 16, 2006

- 7. (Original) A torque transfer arrangement for a dental handpiece having a turbine for rotatably driving a burr about an axis of rotation, the burr having a burr shaft with a non-circular shaft portion and the turbine having an axial tool bore for receiving the burr shaft, the torque transfer arrangement being characterized in that it includes a locking socket with an axial bore for receiving the shaft portion of the burr shaft, the locking socket being connectable with the turbine for rotation therewith; and a torque transfer member connected with the locking socket for locking the shaft portion against rotation relative to the locking socket.
- 8. (Original) The torque transfer arrangement of claim 7, characterized in that the locking socket is insertable into the tool bore.
- 9. (Original) The torque transfer arrangement of claim 7, characterized in that the locking socket is a hollow spindle insertable into the tool bore for connection with the turbine and that the torque transfer member is a wall portion of the spindle extending radially inwardly into the axial bore.
- 10. (Original) The torque transfer arrangement of claim 7, characterized in that the locking socket is incorporated into the turbine and is an enlarged portion of the tool bore for receiving a shaft portion which is a locking boss on the burr shaft having a diameter larger than the diameter of the burr shaft.
- 11. (Currently Amended) The torque transfer arrangement of claim 7 any one of claims 1 to 10, characterized in that the locking socket has a cross-section complementary to a shaft portion of triangular cross-section.

Fax: 313-965-8570

Jan 18 2006 12:05

P. 09

Appl'n No: 10/539,741

Preliminary Amd't dated January 16, 2006

- 12. (Original) The torque transfer arrangement of claim 7, characterized in that the locking portion of the burr shaft is a terminal portion of the burr shaft and the locking socket is a hollow spindle having a cylindrical bore for receiving the burr shaft the torque transfer member being a protrusion extending radially inwardly into the cylindrical bore for preventing rotation of the locking portion of the burr shaft in relation to the spindle while permitting axial insertion of the burr shaft into the spindle.
- 13. (Original) The torque transfer arrangement of claim 12, characterized in that end surfaces of the protrusion and the terminal portion which come into mutual contact during insertion of the burr shaft into the spindle have a rounded shape for directing the end surface of the terminal portion past the protrusion to achieve a self-alignment of the terminal portion relative to the protrusion during insertion of the burr.
- 14. (Original) The torque transfer arrangement of claim 12 characterized in that the spindle further includes a burr retaining element extending into the cylindrical bore for releasably engaging a complementary retaining element on the burr shaft to releasably lock the burr shaft in the cylindrical bore against axial movement.
- 15. (Original) A medical or dental turbine handpiece for a rotatable tool, having a handle portion for gripping by a user, a drive head connected with the handle portion and forming a turbine housing, a turbine in the turbine housing for rotatably driving the tool about an axis of rotation and having an axial tool bore for receiving the shaft of the tool, a pair of axially spaced apart bearings for rotatably supporting the turbine in the turbine housing, and a pressurized drive air conduit for supplying pressurized turbine drive air to the turbine, characterized in that the

Fax: 313-965-8570

Jan 18 2006 12:05

P. 10

Appl'n No: 10/539,741

Preliminary Amd't dated January 16, 2006

bearings are air bearings, and that the handpiece includes a bearing air conduit for supplying pressurized bearing air to the air bearings independent of the turbine drive air.

- 16. (Original) The handpiece of claim 15, characterized in that it further includes a controller for controlling a flow of the pressurized drive air through the drive air conduit separate and independent from a flow of the bearing air through the bearing air conduit.
- 17. (Original) A method of operating a dental handpiece including an air turbine driven by pressurized drive air and a pair of air bearings for supporting the air turbine in the handpiece and operated by pressurized bearing air, characterized by the steps of supplying pressurized bearing air to the air bearings, and supplying pressurized drive air to the turbine independent of the bearing air, the step of supplying bearing air being commenced prior to supplying drive air and continued at least as long as the step of supplying drive air.
- 18. (Original) A medical or dental turbine handpiece for a fotatable tool, having a handle portion for gripping by a user, a drive head connected with the handle portion and forming a turbine housing, a turbine in the turbine housing for rotatably driving the tool about an axis of rotation and having an axial tool fore for receiving the tool, and a pressurized turbine drive air supply conduit, characterized in that the drive head includes a turbine drive air supply chamber connected to the drive air supply conduit for receiving drive air, and that the supply chamber extends about the turbine chamber for supplying turbine drive air to the turbine at least at two spaced apart locations distributed about the axis of rotation.
- 19. (Original) The handpiece of claim 18, characterized in that the turbine drive air supply chamber is an annular chamber extending concentrically about the axis of rotation.

Fax: 313-965-8570

Jan 18 2006 12:06

P. 11

Appl'n No: 10/539,741

Preliminary Amd't dated January 16, 2006

- 20. (Original) The handpiece of claim 19, characterized in that the supply chamber supplies drive air to the turbine at a multitude of locations evenly distributed about the axis of rotation.
- 21. (Original) The handpiece of claim 18, characterized in that the drive head further includes a Venturi passage connecting the drive air supply chamber to the turbine chamber for accelerating the drive air prior to impinging on the turbine.
- 22. (Original) The handpiece of claim 21, wherein the Venturi passage includes multiple air guide vanes for directing the turbine drive air onto the turbine in a direction generally radially inwardly towards the axis of rotation.
- 23. (Original) A medical or dental turbine handpiece for a rotatable tool having a handle portion for gripping by a user, a drive head connected with the handle portion and forming a turbine housing, a turbine in the turbine housing for rotatably driving the tool about an axis of rotation and having an axial tool bore for receiving a shaft of the tool; and a pair of axially spaced apart bearings for rotatably supporting the turbine in the turbine chamber for rotation about the axis of rotation, characterized in that the bearings are air bearings.
- 24. (Original) The handpiece of claim 23, characterized in that each air bearing includes a bearing stator having the shape of a spherical section and a bearing rotor of complementary shape, and that the bearing rotor and stator are shaped to define an intermediate bearing gap of even width throughout.

Fax: 313-965-8570

Jan 18 2006 12:06

P. 12

Appl'n No: 10/539,741

Preliminary Amd't dated January 16, 2006

25. (Original) A medical or dental turbine handpiece having a handle for gripping by a user, a drive head attached to the handle and forming a turbine chamber, an air driven turbine in the turbine chamber for rotatably driving a tool, the turbine being operated by turbine drive air, and a swivel connector for rotatably connecting the handle to an umbilical cord including at least a supply conduit for the turbine drive air, characterized in that the swivel connector has an angled connector body for connecting the handle and the umbilical cord at an angle of less than 180 degrees to reduce user wrist strain.

- 26. (Original) The handpiece of claim 25, characterized in that the handle and the umbilical cord are connected at an angle between 90 and 180 degrees.
- 27. (Original) A medical or dental turbine handpiece for a rotatable tool having a shaft including a drive head for rotatably supporting the tool and forming a turbine housing, a turbine in the turbine housing for rotatably driving the tool about an axis of rotation, a pair of axially spaced apart bearings for rotatably supporting the turbine in the turbine housing, a pressurized drive air conduit connected to the turbine housing for supplying pressurized turbine drive air to the turbine, and an exhaust conduit connected to the turbine housing for removing spent turbine drive air from the turbine housing, characterized in that the handpiece further includes a shut-off valve for reducing turbine run down time when the supply of turbine drive air is stopped, that the shut-off valve is connected to the drive air conduit and the exhaust air conduit and that the shut-off valve includes a closure member normally biased into a closed position wherein the closure member closes both the drive air and exhaust conduits and movable by drive air pressure to an open position wherein the closure member permits passage of drive air and exhaust air through the drive air and exhaust conduits respectively.

Fax: 313-965-8570

Jan 18 2006 12:06

P. 13

Appl'a No: 10/539,741 Preliminary Amd't dated January 16, 2006

28. (Original) The handpiece of claim 27, characterized in that the bearings are air bearings, that the handpiece further includes a bearing air supply conduit connected to the drive head for supplying pressurized bearing air to the air bearings, and that the supply conduit supplies the bearing air independent of the position of the closure member of the shut-off valve.

- 29. (Original) The handpiece of claim 28, characterized in that the shut-off valve is incorporated into the handle portion and that the closure member is a sleeve axially movable in the handle portion between the open and closed positions.
- 30. (Original) A medical or dental turbine handpiece for a rotatable tool having a working tip, the handpiece including a handle portion for gripping by a user, a drive head connected with the handle portion by an intermediate neck portion, the drive head forming a turbine housing, a turbine in the turbine housing for rotatably driving the tool about an axis of rotation and having an axial tool bore for receiving the shaft of the tool, and a pair of axially spaced apart bearings for rotatably supporting the turbine in the turbine housing, characterized in that the handle portion has a longitudinal central first axis and the neck portion has a longitudinal central second axis, that the drive head, neck portion and handle portion being interconnected in such a way that an angle enclosed by the axis of rotation of the tool with the first axis is larger than 90 degrees and with the second axis is less than 90 degrees, and that the second axis is oriented at an angle to the first axis such that the tool tip coincides with the first axis.
- 31. (Original) A medical or dental turbine handpiece for a rotatable tool, including a handle portion for gripping by a user, a drive head forming a turbine housing, an intermediate neck portion connecting the drive head with the handle portion, a turbine in the turbine housing for rotatably driving the tool about an axis of rotation and having an axial tool bore for receiving the

Fax: 313-965-8570

Jan 18 2006 12:06

P. 14

Appl'n No: 10/539,741

Preliminary Amd't dated January 16, 2006

shaft of the tool, and a pair of axially spaced apart bearings for rotatably supporting the turbine in the turbine housing, characterized in that the handpiece further includes a neck connecting arrangement for releasably connecting the neck portion to the handle portion, that the neck connecting arrangement includes a socket portion on one of the neck portion and the handle portion and a plug portion on the other of the neck portion and handle portion, and that the plug and socket portions are of complementary shape for non-rotatably connecting the neck and handle portions.

- 32. (Original) The handpiece of claim 31, characterized in that the neck connecting arrangement further includes a snap lock for releasably locking the plug portion in the socket portion.
- 33. (Currently Amended) A dental burr for a dental turbine handpiece [[hand piece]], the burr having a working tip and a shaft for insertion into the handpiece [[hand piece]], characterized in that the shaft includes a shaft portion of non-circular cross-section for torque transferring engagement with a burr receiving locking socket in the handpiece [[hand piece]].
- 34. (Original) The burr of claim 33, characterized in that the shaft portion has a triangular cross-section.

Fax: 313-965-8570

Jan 18 2006 12:07

P. 15

Appl'n No: 10/539,741

Preliminary Amd't dated January 16, 2006

REMARKS

Claims 1-34 remain in the application. Claims 5, 6, 33 have been amended to correct minor typographical errors. Additionally, claim 11 has been amended to eliminate a multiple dependency and rather depend from only independent claim 7.

Applicant respectfully requests entry of this preliminary amendment to the claims and examination on the merits. It is respectfully submitted that this patent application is in condition for allowance, which allowance is respectfully solicited. If the Examiner has any questions regarding this amendment or patent application, the Examiner is invited to contact the undersigned.

Respectfully submitted,

Robin W. Asher (Reg. No. 41,590)

Clark Hill PLC

500 Woodward Avenue, Suite 3500

Detroit MI 48226-3435

(313) 965-8300

Attorney Docket No: 25266-101943

JAN. 18. 2006 12:10PM

(3) FISH & RICHARDSON 6175428906

NO. 6986 P. 1

FISH & RICHARDSON P.C.

225 Franklin Street Boston, Massachusetts 02110-2804

Telephone 617 542-5070

Facsimile 617 542-8906

Web Site

Date January 18, 2006

To Mail Stop M Correspondence

Director of the United States Patent and Trademark Office

P.O. Box 1450

Alexandria, VA 22313 - 1450

Facsimile number 09391-00200001 / (571) 273-6500

From Lindsay L. Lisenby

Annuity Coordinator

Re PORTABLE PNBUMATIC PRECISION METERING DEVICE

Applicant: Frank G. Reinsch et al. Application No.: 08/678,033 Filing Date: July 10, 1996 Patent No.: 5,803,673

Issue Date: September 8, 1998

Country: United States
Our Ref.: 09391-002001

Number of pages including this page 2

Message Please see the attached Fee Address Indication Form regarding the above-referenced

patent.

NOTE: This facsimile is intended for the addressee only and may contain privileged or confidential information. If you have received this facsimile in error, please immediately call us collect at 617 542-5070 to arrange for its return. Thank you.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS

☐ BLACK BORDERS
☑ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потнер.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

1 Fish & Richardson P.C.

"FEE ADDRESS" INDICATION FORM

Address to:
Mail Stop M Correspondence
Director of the US Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

INSTRUCTIONS: Only an address associated with a Customer Number can be established as the fee address for maintenance fee purposes (hereafter, fee address). A fee address should be specified when the patentse would like correspondence related to maintenance fees to be mailed to a different address than the correspondence address for the application. If there is a Customer Number already associated with the fee address for the patent or allowed application, check the first box below and provide the Customer Number in the space provided. If there is no Customer Number associated with the fee address for the patent or allowed application, you must check the second box below and attach a Request for Customer Number form (PTO/SB/125). For more information on Customer Numbers, see the Manual of Patent Examining Procedure (MPEP) § 403.

Please recognize as the "Fee Address" under the provisions of 37 CFR 1.363 the address associated with: □ Customer Number 26161 Place Customer Number Bar Code Label Here OR Request for Customer Number (PTO/SB/125) attached hereto in the following listed application(s) for which the Issue Fee has been paid or patent(s). **PATENT NUMBER** APPLICATION NUMBER (if known) 08/678,033 5,803,673 Completed by (check one): □ Applicant/Inventor Signature Attorney or Agent of record Maihlas W. Samuel Typed or printed name Assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) 612-335-5070 is enclosed. (Form PTO/SB/98) Requester's telephone number Assignment recorded at Reci ____ Frame _ 1/9/06 Date NOTE: Signatures of all the inventors or assignors of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below . *Total of 1 forms are submitted.

70097194.doo

09391-002001

FISH & RICHARDSON P.C.

225 Pranklin Street Boston, Massachuserts 02110-2804

Talephone 617 542-5070

Date January 18, 2006

Pacaimile 617 542-8906

To Mail Stop M Correspondence

Director of the United States Patent and Trademark Office

P.O. Box 1450

Alexandria, VA 22313 - 1450

Wcb Site www.fr.com

Facsimile number 10363-00200001 / (571) 273-6500

From Lindsay L. Lisenby

Annuity Coordinator

Re CYTOKINE-STRESS AND ONCOPROTEIN ACTIVATED HUMAN PROTEIN

KINASE KINASES

Applicant: Roger J. Davis et al. Application No.: 08/446,083 Filing Date: May 19, 1995 Patent No.: 5,804,427

Issue Date: September 8, 1998

Country: United States Our Ref.: 10363-002001

Number of pages including this page 2

Message Please see the attached Fee Address Indication Form regarding the above-referenced

patent.

NOTE: This facsimile is intended for the addresses only and may contain privileged or confidential information. If you have received this facsimile in error, please immediately call us collect at 617 542-5070 to arrange for its return. Thank you.

FISH & RICHARDSON P.C.

PTO/SB/47 (05-03)

"FEE ADDRESS" INDICATION FORM							
Address to: Mall Stop M Correspondence Director of the US Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450							
INSTRUCTIONS: Only an address associated with a Customer Number can be established as the fee address for maintenance fee purposes (hereafter, fee address). A fee address should be specified when the patentee would like correspondence related to maintenance fees to be mailed to a different address than the correspondence address for the application. If there is a Customer Number already associated with the fee address for the patent or allowed application, check the first box below and provide the Customer Number in the space provided. If there is no Customer Number associated with the fee address for the patent or allowed application, you must check the second box below and attach a Request for Customer Number form (PTO/SB/125). For more information on Customer Numbers, see the Manual of Patent Examining Procedure (MPEP) § 403.							
Please recognize as the "Fee Address" under the provision	ons of 37 CFR 1.363 the address associated with:						
☑ Customer Number 26161 OR	Place Customer Number Bar Code Label Here						
Request for Customer Number (PTO/PB/425)							
Request for Customer Number (PTO/SB/125) att							
in the following listed application(s) for which the	Issue Fee has been paid or patent(s).						
PATENT NUMBER (if known)	APPLICATION NUMBER						
5,804,427	08/446,083						
Completed by (check one):	1 0 -						
☐ Applicant/Inventor	Pet Fase.						
Attorney or Agent of record 32.983 (Reg. No.)	Signature J. Peter Fasse						
Assignee of record of the entire interest, See 37 CFR 3.71. Statement under 37 CFR 3.73(b)	Typed or printed name 617-542-5070						
Is enclosed. (Form PTO/SB/98)	Requester's telephone number						
Assignment recorded at Reel Frame							
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below *.							
Total of 1 forms are submilled.							
0097203.doc	10363-002001						